

Nomenclatural novelties and notes in *Penstemon* (Plantaginaceae)

Craig C. Freeman¹

¹ *R.L. McGregor Herbarium, Division of Botany, Biodiversity Research Institute, University of Kansas, Lawrence, Kansas 66047-3729, USA*

Corresponding author: *Craig C. Freeman* (ccfree@ku.edu)

Academic editor: *P. de Lange* | Received 29 March 2017 | Accepted 30 March 2017 | Published 25 April 2017

Citation: Freeman CC (2017) Nomenclatural novelties and notes in *Penstemon* (Plantaginaceae). *PhytoKeys* 80: 33–39. <https://doi.org/10.3897/phytokeys.80.12962>

Abstract

Seven nomenclatural novelties in *Penstemon* (Plantaginaceae) are proposed for taxa that will be included in the forthcoming treatment of the genus in the Flora of North America North of Mexico series. Three additional novelties are made for Mexican taxa outside the flora area. *Penstemon xylus* A. Nelson is determined to be the correct name for the species heretofore called *P. tusharensis* N. Holmgren.

Keywords

Penstemon, Plantaginaceae

Introduction

Field and herbarium studies of the genus *Penstemon* Schmidel (Plantaginaceae) for a treatment in the forthcoming Volume 17 of the Flora of North America North of Mexico (FNA) (Freeman in prep.) necessitate some nomenclatural changes for consistency in infraspecific rank, following FNA editorial guidelines. Three additional changes are made affecting two species that occur entirely in Mexico. Nomenclatural notes accompany some of the changes.

Methods

Information about type specimens is based on protologues, major online nomenclatural indices (Tropicos - <http://www.tropicos.org/>; The International Plant Names Index - <http://www.ipni.org/>; JSTOR Global Plants – <https://plants.jstor.org>), herbarium specimens, and websites of individual herbaria (BR [<http://www.botanicgarden.be/>], CAS [<http://www.calacademy.org/scientists/botany-collections>], CM [<http://www.carnegiemnh.org/botany/collection.html>], F [<https://www.fieldmuseum.org/node/5196>], GH [<http://huh.harvard.edu/pages/digital-resources>], JE [<http://herbarium.univie.ac.at/database/search.php>], K [http://apps.kew.org/herbcat/navigator.do?_ga=1.106533571.1517483332.1489782412], MICH [<http://quod.lib.umich.edu/cgi/i/image/image-idx?xc=1;page=searchgroup;g=herb-ic>], MIN [<http://bellatlas.umn.edu/collections/index.php>], MO [<http://www.tropicos.org/>], NY [<http://sweetgum.nybg.org/science/vh/>], RM [<http://rmh.uwyo.edu/data/search.php>], S [<http://herbarium.nrm.se/search/specimens/>], US [<http://collections.nmnh.si.edu/search/botany/?ti=3>]). Herbarium abbreviations follow *Index Herbariorum* (Thiers 2016, continuously updated, <http://sweetgum.nybg.org/science/ih/>). A digital image was examined for each specimen for which a barcode number is given in the type citation, followed by the source. Specimens examined for which no online digital images are available are not accompanied by barcode numbers.

Nomenclatural novelties

***Penstemon cardinalis* var. *regalis* (A.Nelson) C.C.Freeman, stat. nov.**

urn:lsid:ipni.org:names:77162263-1

Basionym. *Penstemon regalis* A.Nelson, Amer. J. Bot. 21: 578–579. 1934; *Penstemon cardinalis* subsp. *regalis* (A.Nelson) G.T. Nisbet & R.C. Jacks.

Type. USA. NEW MEXICO: near Carlsbad Cavern, Jun 1930, G. Convis 75 (holotype: RM, RM0004319 [JSTOR image]).

In the protologue, Nelson (1934) stated that the type was collected in May 1930. The date on the type specimen is June 1930.

***Penstemon crandallii* var. *procumbens* (Greene) C.C.Freeman, stat. nov.**

urn:lsid:ipni.org:names:77162264-1

Basionym. *Penstemon procumbens* Greene, Pl. Baker. 3: 23–24. 1901; *Penstemon crandallii* subsp. *procumbens* (Greene) D.D. Keck.

Type. USA. COLORADO: Keblar Pass, in large mats on bare banks, 7 Aug 1901, C.F. Baker 733 (holotype: NDG, NDG45968 [JSTOR image]; isotypes: ARIZ, ARIZ-BOT-0005070 [JSTOR image], CAS, CAS0006571 [CAS website image], GH, GH00091383 [GH website image], JE, JE00002724 [JE website image], K,

K000979692 [K website image], MO, MO-2217162 [MO website image], NY, NY00130478 [NY website image], RM, RM0004309 [JSTOR image], RM0004310 [JSTOR image], RSA, RSA0006207 [JSTOR image]), US, US00122356, [US website image], US011177691 [US website image]; probable isotypes: PH, PH00018550 [JSTOR image], RSA, RSA0006208 [JSTOR image]).

Label data on PH00018550 indicate the specimen was collected by Baker in 1900. Francis W. Pennell annotated the specimen as a probable isotype of Baker 733; David D. Keck annotated it as an isotype.

***Penstemon crandallii* var. *ramaleyi* (A.Nelson) C.C.Freeman, comb. & stat. nov.**
urn:lsid:ipni.org:names:77162265-1

Basionym: *Penstemon ramaleyi* A. Nelson, Univ. Wyoming Publ. 3: 106. 1937.

Type. USA. COLORADO. Saguache Co.: Villa Grove, 3 mi W, 9 Jul 1935; F. Ramaley & K.R. Johnson 15116 (holotype: RM, RM0004316 [JSTOR image]; isotypes: COLO, COLO00396432 [JSTOR image], K, K000979786 [K website image], MO).

***Penstemon eatonii* var. *exsertus* (A.Nelson) C.C.Freeman, stat. nov.**
urn:lsid:ipni.org:names:77162266-1

Basionym. *Penstemon exsertus* A. Nelson, Amer. J. Bot. 18: 438. 1931; *Penstemon eatonii* subsp. *exsertus* (A. Nelson) D.D. Keck.

Type. USA. ARIZONA: In Salt River Canyon, on the Apache Trail, 4 May 1925, A. Nelson 10624 (holotype: RM, RM0004214 [JSTOR image]).

***Penstemon linarioides* var. *coloradoensis* (A.Nelson) C.C.Freeman, stat. nov.**
urn:lsid:ipni.org:names:77162267-1

Basionym. *Penstemon coloradoensis* A. Nelson, Bull. Torrey Bot. Club 26: 355. 1899; *Penstemon linarioides* subsp. *coloradoensis* (A. Nelson) D.D. Keck.

Type. USA. COLORADO: Mancos, common on sage plains and foothills throughout the La Platas, 23 Jun 1898, C.F. Baker, F.S. Earle, and S.M. Tracy 70 (lectotype: RM, RM0004187 [JSTOR image]; isolectotypes: CAS, CAS0006620 [CAS website image], F, F0072589F [JSTOR image], GH, GH00091215 [GH website image], K, K000979702 [K website image], KSC, MICH, MICH1108038 [MICH website image], MO, MO-100230852, NDG, NDG45904 [JSTOR image], NEB, NEB-v-0000619 [JSTOR image], NY, NY00091049 [NY website image], OS, OS0000264 [JSTOR image], RM, RM0004188 [JSTOR image], RSA, RSA0006119 [JSTOR image], RSA0006120 [JSTOR image], US, US00122246 [US website image]; probable isolectotype: NDG, NDG45695 [JSTOR image]).

In describing *Penstemon coloradoensis*, Nelson (1899) stated “*I have before me specimens from two collections made near Mancos, Colo., by Messrs. Baker, Earle, and Tracy, 1898 and distributed as P. caespitosus Nutt. Also from two collections by Professor Crandall, from Hotchkiss, Colo., 1892, and from Durango, 1898, both distributed as P. linarioides Sileri Gray.*” Nelson (1899) did not designate a holotype; the collections he cited are syntypes. Keck (1937) designated C.F. Baker, F.S. Earle, and S.M. Tracy 70 (RM) as the lectotype, of which there currently are two sheets, suggesting a second-step lectotypification might be necessary. Accession labels on the two sheets indicate they were received from the herbaria of F.S. Earle in 1899 (RM0004187; accession number 13703) and George E. Osterhout in 1938 (RM0004188; accession number 165282), subsequent to Keck’s lectotype designation. RM0004187 bears annotations by A. Nelson (*Penstemon coloradoensis* A. N. n. sp., without date), F.W. Pennell (*P. coloradoensis*, type, 1916), and D.D. Keck (*P. linarioides* A. Gray subsp. *coloradoensis* (A. Nelson) D.D. Keck, type, 1936). RM0004188, the later accession, was not annotated by Nelson, Pennell, or Keck. Whether Nelson had another sheet at RM that was lost, destroyed, or sent elsewhere, or had access to a sheet from some other herbarium, is not known. Of the two sheets currently at RM, only RM0004187 appears to have been there when Nelson described *P. coloradoensis* and later seen by Keck when he lectotypified the name. RM0004187 is taken as the lectotype, RM0004188 is taken as an isolectotype, and no second-step lectotypification is needed. As an aside, the sheet at KSC is *P. crandallii* A. Nelson var. *crandallii*.

***Penstemon miniatus* var. *apateticus* (Straw) C.C.Freeman, stat. nov.**

urn:lsid:ipni.org:names:77162268-1

Basionym. *Penstemon apateticus* Straw, Bol. Soc. Bot. México 24: 42–43. 1959; *Penstemon miniatus* subsp. *apateticus* (Straw) Straw.

Type. MÉXICO. DISTRITO FEDERAL: Serrania de Ajusco, 10000 ft, Aug–Sep 1896, C.G. Pringle 6463 (holotype: CAS, CAS0003847 [JSTOR image]; isotypes: BR, BR0000008418234 [BR website image], CM, CM2018 [CM website image], F, F0072654F [F website image], GH, GH00091520 [GH website image], JE, JE00000356 [JE website image], MIN1001915 [MIN website image ; this specimen bears a second barcode, 189693, at the top of the sheet], MO, MO-155225 [MO website image], NDG, NDG45615 [JSTOR image], NY, NY00130560 [NY website image], PH, PH00020963 [JSTOR image], S, S10-20448 [S website image], US, US00122215 [US website image]).

***Penstemon miniatus* var. *townsendianus* (Straw) C.C.Freeman, comb. & stat. nov.**

urn:lsid:ipni.org:names:77162269-1

Basionym. *Penstemon apateticus* subsp. *townsendianus* Straw, Bol. Soc. Bot. México 24: 44. 1959.

Type. MÉXICO. CHIHUAHUA: collected in the Sierra Madres near Colonia Garcia, altitude 8000 ft, 1 Aug 1899, C.H.T. Townsend & C.M. Barber 211 (holotype: US, US00122217 [US website image]; isotypes: A, A00091591 [GH website image], F, F0072655F [F website image], GH, GH00091522 [GH website image], MO, MO-155224 [MO website image], NDG, NDG45616 [JSTOR image], NY, NY00130562 [NY website image], US, US01100658 [US website image]; probable isotype: NY, NY00130561 [NY website image]).

Straw (1959) designated US sheet number 568154 (=US00122217) as the holotype. He cited a second specimen at US as an isotype; that specimen is US sheet number 347089 (=US01100658). The label on NY00130561 does not bear the collector's name or number; it was collected 5 mi SE of Colonia Garcia at an altitude of 7500 ft. Straw annotated the specimen as being Townsend and Barber 211.

***Penstemon pseudospectabilis* var. *connatifolius* (A.Nelson) C.C.Freeman, stat. nov.**
urn:lsid:ipni.org:names:77162270-1

Basionym. *Penstemon connatifolius* A. Nelson, Amer. J. Bot. 18: 437–438. 1931; *Penstemon pseudospectabilis* subsp. *connatifolius* (A. Nelson) D.D. Keck.

Type. USA. ARIZONA: Steep banks, Apache Trail, 3 May 1925, A. Nelson 10314 (holotype: RM, RM0004190 [JSTOR image]; isotypes: NO, NO0109834 [JSTOR image], NY NY00091052 [NY website image], RSA, RSA0006126 [JSTOR image]).

***Penstemon spectabilis* var. *subinteger* C.C.Freeman, stat. nov.**
urn:lsid:ipni.org:names:77162271-1

Basionym. *Penstemon spectabilis* subsp. *subinteger* D.D. Keck, Amer. Midl. Naturalist 18: 817–818. 1937.

Type. MÉXICO. BAJA CALIFORNIA: Santa Maria Plains, 15 mi S of Hamilton Ranch, plants 2–3 ft high, corolla bluish at lips, throat and tube with less blue than red, 8 Apr 1931, I.W. Wiggins 5207 (holotype: CAS, CAS003886 [CAS website image]; isotypes: CAS, CAS0003887 [CAS website image], F, F0072666F [F website image], GH, GH0091585 [GH website image], K, K000528837 [K website image], MICH, MICH1108051 [MICH website image], MO, MO-155229 [MO website image], NY, NY00130580 [NY website image], NY00130581 [NY website image], PH, PH00018576 [JSTOR image], RM, RM0004355 [RM website image], US, US00122381 [US website image]).

***Penstemon secundiflorus* var. *versicolor* (Pennell) C.C.Freeman, comb. & stat. nov.**
urn:lsid:ipni.org:names:77162272-1

Basionym. *Penstemon versicolor* Pennell, Contr. U.S. Natl. Herb. 20: 358–359. 1920.

Type. USA. Colorado. Pueblo Co.: clayey loam, mesa NE of Pueblo, ca 4700 ft, 5 Jun 1915, F. W. Pennell 5732 (holotype: NY, NY00029690 [NY website image]; isotypes: COLO, COLO00396481 [JSTOR image], US, US00122397 [US website image]).

Nomenclatural note

***Penstemon xylus* A. Nelson, Bot. Gaz. 31–32. 1902.**

Penstemon caespitosus var. *suffruticosus* A. Gray in A. Gray et al., Syn. Fl. N. Amer. 2: 270. 1878 (non *Penstemon suffruticosus* Douglas ex Benth.); *Penstemon tusharensis* N.H. Holmgren, Brittonia 31: 106. 1979, nom. illeg.

Type. USA. Utah. Beaver, 1877, Palmer s.n. (holotype: GH, GH00091198 [GH website image]); probable isotype: ISC, ISC-v-0000867 [JSTOR image].

The correct name for this taxon at the rank of species has been the source of confusion. With the earlier name *Penstemon suffruticosus* Douglas ex Benth. blocking transfer of A. Gray's varietal epithet *suffruticosus* at the rank of species, Rydberg (1901) published *P. suffrutescens* in an attempt to provide a substitute. However, in doing so, he flagged *P. suffrutescens* as a new species (sp. nov.). He also provided a brief diagnosis and cited a specimen (USA. Colorado. Ridgway, woods, altitude 7500 ft, 20 Jun 1895, F. Tweedy 170; holotype: NY, NY00130526 [NY website image]) different from that of Gray's type for *P. caespitosus* var. *suffruticosus*. Rydberg's name must be considered a validly published species name—not an avowed substitute for Gray's name. As noted by Holmgren (1979), the specimen cited by Rydberg is referable to *P. crandallii*, where *P. suffrutescens* must be placed as a synonym.

Nelson (1902) published *Penstemon xylus* and clearly stated it was a new name (nom. nov.) for Gray's *P. caespitosus* var. *suffruticosus*. Nelson cited a specimen (USA. Colorado. Sapinero, 1898, H.N. Wheeler 446 [COLO, COLO00396499 [JSTOR image], NY, NY00130556 [NY website image], RM, RM0004372 [JSTOR image]) that he believed was referable to A. Gray's concept of *P. caespitosus* var. *suffruticosus*. However, it too is referable to *P. crandallii*. Holmgren (1979), believing that neither Rydberg's nor Nelson's name could be applied to Gray's *P. caespitosus* var. *suffruticosus* because of the specimens cited by each author, published *P. tusharensis* as an avowed substitute. In spite of Nelson having cited a specimen that is not referable to *P. caespitosus* var. *suffruticosus*, *P. xylus* must stand as the avowed substitute for *P. caespitosus* var. *suffruticosus* at the rank of species, making *P. tusharensis* illegitimate and superfluous.

Acknowledgments

I thank Kanchi Gandhi (GH), Werner Greuter (B), Richard Rabeler (MICH), Nicholas Turland (B), James Zarucchi (MO), and an anonymous reviewer for their helpful comments on the draft manuscript and/or nomenclatural advice. Ernie Nelson kindly provided information about specimens of *Penstemon coloradoensis* at RM.

References

- Freeman CC (in prep) *Penstemon* (Plantaginaceae). In: Flora of North America Editorial Committee (Eds) 1993+. Flora of North America North of Mexico. 16+ vols. New York and Oxford. Vol. 17.
- Holmgren NH (1979) Nomenclatural changes in some Intermountain penstemons. *Brittonia* 31: 104–107. <https://doi.org/10.2307/2806680>
- Keck DD (1937) Studies in *Penstemon* IV. The section *Ericopsis*. *Bull. Torrey Bot. Club* 64: 357–381. <https://doi.org/10.2307/2481121>
- Nelson A (1899) New plants from Wyoming.—IX. *Bull. Torrey Bot. Club* 26: 350–358. <https://doi.org/10.2307/2478041>
- Nelson A (1902) Contributions from the Rocky Mountain Herbarium. III. *Bot. Gaz.* 21–35. <https://doi.org/10.1086/328257>
- Nelson A (1934) Rocky Mountain Herbarium studies. II. *Amer. J. Bot.* 21: 573–582. <https://doi.org/10.2307/2436108>
- Rydberg PA (1901) Studies on the Rocky Mountain flora.—VI. *Bull. Torrey Bot. Club* 28: 499–513. <https://doi.org/10.2307/2478562>
- Straw RM (1959) Los Penstemons de México. I. Sobre la confusion entre *Penstemon lanceolatus* y *Penstemon imberbis*. *Bol. Soc. Bot. México* 24: 39–52.
- Thiers B (2016) Index Herbariorum: A global directory of public herbaria and associated staff. New York Botanical Garden's Virtual Herbarium. <http://sweetgum.nybg.org/ih/> [continuously updated]